



INNOVATION THAT MEETS  
YOUR REQUIREMENT

**iSwix Jr.**

Mini Vortex Mixer

## iSwix Jr.

### Mini Vortex Mixer

When it comes to the usage of mixers in laboratories, what matters the most is their performance and reliability which could justify your investment. But, the issues remains that manufacturers are not aware of the struggles faced by users in their workplace and as such design machines that are frustrating to use and don't provide the kind of reliable performance that the user requires.

Here at Neuation, our R&D department takes the pain to understand the user's needs and their feedback to help us in designing a product which can bridge that gap between manufacturers and users. As, a result we developed the iSwix Jr. which combines exceptional performance and rugged durability in a compact package. The vortex mixer is designed to offer thorough and quick mixing in a small body.



## Product Features



Maximum load of 100 gm  
(3500 RPM - iSwix Jr.)



iSwix Jr. VT allows the  
user to set different speeds  
from 2500-3500 RPM



Orbital diameter of 4.5 mm



Brushless DC motor for  
ultra quiet performance and  
a maintenance-free long life



Inbuilt counter balance  
ensures stable operation for  
complete peace-of-mind

Robust construction  
utilizes Die Cast Aluminium  
base and suction cups



Small footprint saves  
valuable bench space and  
can also be used inside  
hoods and cold rooms



IP43 compliant design  
makes it suitable for use



Safe Low  
Voltage Device



# Specifications

iSwix Jr.	
Max RPM	3500 RPM
Orbital diameter	4.5 mm
Motor type	DC
Variable speed	No
Max tube diameter	30 mm
Max Load Capacity	100 gm
Press activation	Yes
Speed Setting	Fixed
Protection class	IP 43
Dimensions (W X D X H)	100 x 100 x 67 mm
Weight	0.55 kg

# Ordering Information

iSwix Jr.		
Product Name	Cat #	Details
iSwix Jr.	JV-1110 EU/US/UK/AU	Mini Vortex Mixer with fix speed of 3500 RPM

**NEUATION**  
**TECHNOLOGIES**  
 www.neuation.com

AN ISO 9001 : 2015 & ISO 13485 : 2016 CERTIFIED MFG. COMPANY

\*We also execute OEM projects. Specifications can be changed without notice for quality improvement.